

DOCKLEEN

ULTRA



Ultimate Dock
control in Grassland

Reliable, effective control of
Broad-leaved and Curled Docks.

A reassuring
choice this season
to protect the
quality of your
grazing or silage.



CROP
LINK

PRODUCT INFORMATION

- **PCS Number:** 05459
- **Active Ingredients:** 150g/L Fluroxypyr + 150g/L Triclopyr
- **Pack Size:** 2L
- **Formulation:** Emulsifiable Concentrate
- **Recommended Dose:** 2L/ha
- **Maximum Total Dose:** 2L/ha (individual and total dose)
- **Latest Timing:** Seven days before grazing or harvest. For best results (root kill and longer-term control) allow at least 28 days before cutting for silage.

BEST PRACTISE GUIDELINES

- For use only in established grassland >12 months
- If weeds grow beyond ideal stage, consider cutting the sward and spraying the re-growth
- Allow 2-3 weeks after cutting before applications of Dockleen Ultra are made to allow sufficient re-growth
- Grazing can resume 7 days after application. This may need to be longer if foliage of poisonous weeds is present
- Dockleen Ultra should not be tank-mixed with phenoxy herbicides e.g. MCPA, 2,4-D, CMPP – this may compromise translocation of Dockleen Ultra to the roots

KEY TIMINGS FOR BEST CONTROL

Weed	Timing
Docks	Rosette stage (150-200mm)

WEED CONTROL RATINGS

Note weed control of non-label weeds below based on limited data and therefore the user bears the risk as actual results may vary.

Annual Weeds	Control
Bindweed (black) 6TL/50mm	★
Bristly ox-tongue	★★
Charlock 2TL	★★
Chickweed BF	★★★
Cleavers 100mm	★★★
Corn chamomile	★★
Cranesbill	★★★
Dead-nettles 4TL/50mm	★★★
Fat-Hen 2TL	★★★
Fool's parsley	★★
Forget-me-not 4TL	★★★
Fumitory 2TL/50mm	★★
Hemp-Nettle	★★★
Knotgrass 2TL	★★
Mayweeds	★
Nettle (small) 100mm	★★★
Nightshade (black) 6TL/100mm	★★★
Pale persicaria	★★★
Scarlet pimpernel	★★★
Shepherd's purse 2TL/50mm	★★
Wild Radish 2TL	★★

Perennial Weeds	Control
Bindweed (field)	★★★
Bramble	★★
Broom	★★★
Buttercups	★★
Clover, trefoil	★★★
Coltsfoot	★★
Daisy, common	★★
Dandelion	★★★
Docks 200mm	★★★
Gorse	★★
Ground Elder	★★
Ground Ivy	★★★
Hawthorn	★★
Hogweed (giant)	★
Lesser celandine	★★
Medick (black)	★★★
Mugwort	★★★
Nettle (common)	★★
Plantain (greater)	★★
Plantain (ribwort)	★
Rosebay Willowherb	★★★
Sorrel (common)	★★★
Vetch, tare	★★★
Yarrow	★★

Key

- ★★★ Good Control
- ★★ Moderate Control
- ★ Some Control

TL True Leaves
BF Before Flowering

DOCKLEEN
ULTRA  Ultimate Dock
control in Grassland

The Stewardship logo features a stylized green flame or leaf icon to the left of the word 'Stewardship' in a large, bold, white serif font. Below 'Stewardship' is the tagline 'Protect a better tomorrow' in a smaller, white, sans-serif font.

Pesticides are soluble in water, extra care must be taken to prevent pollution. It is important to adopt effective Stewardship and observe best practice guidelines.

- Keep pesticides in a locked, bunded store.
- Application must be made by a qualified operator.
- Check and calibrate equipment regularly.
- Clear up any spills immediately
- Consider weather and soil conditions before application.
- Never exceed label rates.
- Clean and wash sprayers at the end of the day.
- Dispose of washings on an untreated area of grassland.



Croplink (Ireland) Ltd,
Springhill
Carrigtwohill
Co. Cork,
T45 F685



info@croplink.ie



www.croplink.ie



Office Tel.	021 4882806
Office contact:	Theresa McGeeney
Thomas Delaney	087 2553564
Eddie Young	087 1056944
Scott Lovell	087 6379079