



FENCING RANGE

goldcrop.ie

Goldcrop is a national wholesale distributor of an extensive range of Agriculture products, Horticulture, Professional Amenity, Home Lawncare and Bird food markets.

In recent years, Goldcrop has developed the Agri fencing sector and now has an extensive range of items to offer customers, We carry a comprehensive range of fencing hardware products which includes the Moreda MRT Fencing brand and Goldcrop's very own Diamond brand wire products.

Moreda MRT is a leading manufacturer of galvanized wire based in Spain, and a prime reference in Europe. With over 150 years of experience allows them to dominate the most developed production techniques and in turn delivers the highest quality products.

Goldcrop are also one of the leading suppliers in a full range of imported timber posts, our posts are pressure treated and machine rounded to a uniform and consistent high quality, together with being sourced from Northern Europe where the timber growth is slower which ensures a denser and longer life post.

To complete your fencing requirements, we also supply a full range of galvanized barbed and non-barbed staples, pigtail post, multistrand post and other fencing accessories.

We take great pride in earning the trust of our farming communities across Ireland thanks to our expert knowledge and wide range of quality brand products available. We deliver a superior service and a high quality product range. We never compromise on quality and as a cornerstone of our business all our operations and innovations are dedicated to the consistent delivery of quality to our customers, we firmly believe in the integrity of our products and operations.

Our experienced and knowledgeable team are always available to offer expert advice and support, no matter how big or small your query.

Best Regards

Peter Brennan

Portfolio Manager – Agri Fencing, Hardware, Crop Packaging, Bird Food, Home & Garden



Barbed Wire	3
Plain Wire	4
Light Stock Fence	5
Heavy Stock Fence	6
High Tensile Stock Fence	7
Horse Fence	8
Diamond NRSA Fence	9
Diamond Forestry Fence	9
Staples	10
Moreda Wire	11-12
Galvanised Chainlink Fence	13
PVC Chainlink Fence	14
Galvanised Wire Netting	15
Galvanised Weld Mech	16
Tanalised Timber Posts	17
IS 436 Grant Approved Posts	18
Gripple ®	19
Pigtail & Multi Strand Posts	19
Mini Roll Display Stands	20
Zon Bird Scarer	21
Notes	22



BARBED WIRE

Product Description:

- Manufactured to BS EN 10244-2 Class A
- Each roll comes on a wooden reel for ease of application, strength and durability. The nylon handle strap allows for extra mobility
- Continuous twist pattern locks the barbs in place to avoid any movement with stock pressure
- Used as a sight or bottom wire helps cope with added pressure from prime lambs and feral animals



4 POINT
STANDARD
BARBED



4 POINT
IWOA BARBED



High Tensile Barbed Wire

		Barbs	Tensile Strength N/mm ²	Length	Pallet Qty	Approx Weight
P0757	Diamond HT Barbed Wire 1.6mm	4	Min 1050	200m	80	10kg
P3450	Diamond HT Barbed Wire 2.0mm	4	Min 1050	200m	48	15kg

Mild Steel Barbed Wire

P1995	Diamond Barbed Wire 2.5mm	4	Min 350	200m	48	21kg
P0758	Barbed Commercially Galv 2.4mm	4	Min 350	200m	48	21kg

Product Description:

- Heavy Galvanised to BS EN 10244-2 Class A
- A wide range of applications from extending the height of a boundary fence, supporting Chainlink, Netting Wire or a sight at ground level
- Available in a wide range of diameters to suit all applications



Mild Steel Plain Wire

		Approx Length	Tensile Strength N/ mm ²	Weight	Outer
P0763	5G (5.0mm) Plain Wire 25kg	165m	Min 350	25KG	1 x 25kg
P0769	8G (4.0mm) Plain Wire 25kg	250m	Min 350	25KG	1 x 25kg
P0768	10G (3.15mm) Plain Wire 25kg	405m	Min 350	25KG	1 x 25kg
P0767	12G (2.5mm) Plain Wire 25kg	650m	Min 350	25KG	1 x 25kg
P0764	14G MS 2.0mm Plain 10 X 2.5 Kg (Small Ø Coil)	101m	Min 350	2.5KG	10 x 2.5kg
P0766	14G MS 2.0mm Plain 10 X 2.5 Kg (Large Ø Coil)	101m	Min 350	2.5KG	10 x 2.5kg
P0765	16G (1.6mm) Plain Wire 10 x 2.5kg	158m	Min 350	25KG	10 x 2.5kg

High Tensile Plain Wire

P0770	12G (2.5mm) High Tensile Plain Wire	650m	Min 1050	25KG	1 x 25kg
--------------	-------------------------------------	------	----------	------	----------


PVC Mild Steel Line Wire

P0772	PVC Line Wire 4.0mm/2.7mm	474m	Min 350	25KG	1 x 25kg
--------------	---------------------------	------	---------	------	----------


LIGHT STOCK FENCE

Product Description:


- A light weight hinge joint fence designed for small livestock
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- Light weight allows it to be used as temporary fencing



P0732



P0724



P0725



P8724




Light Stock Fence

			Length	Pallet Qty	Approx Weight	Tensile Strength N/mm ²
P0732	L 5-24-6	MS Light Sheep Wire	50yd	25	11.6kg	Min 600
P0724	L 6-35-6	MS Light Sheep Wire	50yd	25	15kg	Min 600
P0725	L 8-45-6	MS Light Sheep Wire	50yd	25	18kg	Min 600
P8724	L 8-32-6	MS Light Sheep Wire	50Mtr	20	20kg	Min 600

HEAVY STOCK FENCE

Product Description:

- A conventional heavy duty hinge joint fence designed for larger livestock
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- This heavier fence is ideal for use as permanent fencing and copes better with livestock pressure




Heavy Stock Fence

		Length	Pallet Qty	Approx Weight	Tensile Strength N/mm ²
P0734	C 5-24-6 MS Heavy Sheep Wire	50yd	25	19.7kg	Min 600
P0730	C 6-35-6 MS Heavy Sheep Wire	50yd	20	25.3kg	Min 600
P0738	C 8-32-6 MS Heavy Sheep Wire	50yd	20	28.8kg	Min 600

HIGH TENSILE STOCK FENCE

Product Description:


- High quality stock fence manufactured from high tensile wire.
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- Its high tensile strength is ideal for use as permanent fencing and copes better with livestock pressure
- Suitable for Sheep, Cattle, Pigs etc
- Also available in Lamb safe 220mm vertical spacing
- Complies to Grant Specification




P1612



P8049



P8050



P8723



High Tensile Stock Fence



		Length	Wire Diameter	Pallet Qty	Approx Weight	Tensile Strength N/mm ²
P1612	HT 5-53-15 No Gripple	100m	2.5mm	16	37kg	Min 1050
P8050	HT 8-80-15 No Gripple	100m	2.5mm	12	60kg	Min 1050
P8049	HT 8-80-15 With Gripple	100m	2.5mm	12	60kg	Min 1050

High Tensile Lamb Safe


P8723	HT 8-80-22 Lamb Safe Stockfence	100m	2.5mm	12	50kg	Min 1050
--------------	---------------------------------	------	-------	----	------	----------

Product Description:


- High quality Horse fence manufactured from high tensile wire.
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- Its high tensile strength is ideal for use as permanent fencing and copes better with livestock pressure
- Suitable for Horses, Sheep, Cattle, Pigs
- X-Knot unobtrusive technology



P8744



P8743



P8742




Horse Fence

			Length	Pallet Qty	Approx Weight	Tensile Strength N/mm ²
P8744	Horse Fence HT 13-120-5	50m (4ft)	50m	6	89kg	1200
P8743	Horse Fence HT 13-120-7.5	50m (4ft)	50m	6	68kg	1200
P8742	Horse Fence HT 16-150-5	50m (5ft)	50m	6	109kg	1200

DIAMOND NRSA FENCE

Product Description:

- High quality ZnAl fence manufactured from high tensile wire.
- X-Knot unobtrusive technology
- Conforms to NRSA motorway specification's



P8745

NRSA (Motorway fencing)

P8745

R14-130-5 NRSA Spec

Length

50m

Pallet Qty

6

Approx Weight

96kg


Tensile Strength N/mm²

1200

DIAMOND FORESTRY FENCE

Product Description:

- High quality stock fence manufactured from high tensile wire.
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- Its high tensile strength is ideal for use as forest boundary fencing and copes with livestock pressure
- Also available in Light High Tensile



P8722

Forestry Fencing

P8722

HT 6-90-15 Forestry

Length

100m

Pallet Qty

12

Approx Weight

36kg

Tensile Strength N/mm²

1050

P8721

LHT 6-90-15 Forestry

100m

20

33kg

1050

Product Description:

- FENCE STAPLES have plenty of holding power. The sharp point makes them easy to drive into wood and can be held more securely in place with the barbed version
- The distance between the hooks is wider, enabling to secure thicker wires/cables.
- Extra holding power on wood posts.
- Easy to handle and install.
- Available in 2 options:
Galvanised & ECOVER Green



Barbed Staples



Plain Staples



Prepacked Staples 20KG

	Size	Pallet Qty	Unit of Measure
P0916	1.5" (40mm) Galv Staples 20kg		20 KG
P0917	1.5" (40mm) Galv Barbed Staples 20kg		20 KG
P3216	2" (50mm) Galv Staples Bucket 20kg		20KG

Prepacked Staples 10KG

P5258	2" (50mm) Galv Staples 10kg		10KG
P5253	1.5" (40mm) Galv Staples 10kg		10KG

Prepacked Staples 5KG

P5251	PP 1kg 1.5" (40mm) Galv Staples 10kg	10 x 1KG	OUTER
P5254	PP 5kg 1.5" (40mm) Galv Staples		5 KG
P5256	PP 5kg 1.5" (40mm) Galv Barbed Staples		5 KG
P5257	1.75" (50mm) Galv Staples 5kg		5 KG

GREEN Barbed Staples 20KG

P0918	Green 40mm Barbed Staples 20kg		20KG
--------------	--------------------------------	--	------



From converting the metal into wire rod right through to applying the Ecover® coating onto the green stock fence in-house, MRT has total control over the whole production process.

MRT has invested in the best powder coating lines in Europe, choosing a recognised technology used by the automotive industry (one of the most demanding sectors in the field), raising the bar for quality standards across the market.


TOTAL CONTROL OF MANUFACTURING PROCESS FROM A > Z




ROD WIRE



DRAWING



GALVANISING



POWDER COATING

- BS EN 10244-2 Class A
- Each roll comes on a wooden reel for ease of application, strength and durability. The nylon handle strap allows for extra mobility
- Continuous twist pattern locks the barbs into place to avoid any movement with stock pressure
- Used as a sight or bottom wire helps cope with added pressure from prime lambs and feral animals



Moreda Green Barbed Wire

		Size	Pallet Qty	Unit of Measure
P1991	MOREDA GREEN HT 2mm Barbed 200m	200Mtr	48	ROLL
P1998	MS 2.5mm Barbed MOREDA GREEN 200m	200Mtr	48	ROLL

- Heavy Galvanised to BS EN 10244-2 Class A
- A wide range of applications, from extending the height of a boundary fence, supporting Chainlink, Netting Wire or a sight at ground level
- Available in a wide range of diameters to suit all applications



Moreda Plain Wire

		Size	Pallet Qty	Unit of Measure
P0777	MOREDA 12G MS 2.5mm Plain Green	650Mtr	10	25KG
P0773	MOREDA 12G HT 2.5mm Plain Green	650Mtr	10	25KG
P0774	MOREDA MS 8G (4.00) Green ECOVER 25 Kg	200Mtr	10	25KG

- A conventional heavy duty hinge joint fence designed for larger livestock
- Made to BS EN 10223-5 standard
- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- This heavier fence is ideal for use as permanent fencing and copes better with livestock pressure



Moreda Green Stockfence

		Size	Pallet Qty	Unit of Measure
P0731	C 6-35-6 MS Moreda Green Wire 50yd	50yd	20	ROLL
P0735	C 5-24-6 MS Moreda Green Wire 50yd	50yd	20	ROLL
P0739	C 8-32-6 MS Moreda Green Wire 50yd	50yd	20	ROLL

- Crimps on the horizontal wires allow the tensioning over undulating ground conditions, also carries water drops away from hinge joint contact points
- Its high tensile strength is ideal for use as permanent fencing and copes better with livestock pressure
- Suitable for Sheep, Cattle, Pigs etc
- Also available in Lamb safe 220mm vertical spacing
- Complies to Grant Specification

Moreda High Tensile GALV

		Size	Wire Diameter	Pallet Qty	Unit of Measure
P8056	8-80-15 HT MOREDA GALV No Gripple 100m	100Mtr	2.5mm	12	ROLL
P8057	8-80-15 HT MOREDA GALV + Gripple 100m	100Mtr	2.5mm	12	ROLL


Moreda High Tensile GREEN

P8059	8-80-15 HT MOREDA GREEN No Gripple 100m	100Mtr	2.5mm	12	ROLL
P8055	8-80-15 HT MOREDA GREEN No Gripple	300Mtr	300Mtr	4	ROLL

GALVANISED CHAINLINK FENCE

Product Description:

- Knuckled ended Chainlink Fence
- Compacted rolls with unrolling wire and paper protected ends
- Heavy Galvanised Coating
- Meets or exceeds BS EN 1722-1



Galvanised Chainlink 2.0mm (14G) 25m TB

		Lenght	Pallet Qty	Unit of Measure
P09771	900x50x2mm (3ft x 14G) Galv CLF TB	25Mtr	25	ROLL
P09781	1200x50x2mm (4ft x 14G) Galv CLF TB	25Mtr	25	ROLL
P09791	1500x50x2mm (5ft x 14G) Galv CLF TB	25Mtr	25	ROLL
P09801	1800x50x2mm (6ft x 14G) Galv CLF TB	25Mtr	25	ROLL


Galvanised Chainlink 2.5mm (12G) 25m TB

P09811	900x50x2.5mm (3ft x 12G) Galv CLF TB	25Mtr	16	ROLL
P09821	1200x50x2.5mm (4ft x 12G) Galv CLF TB	25Mtr	16	ROLL
P09831	1500x50x2.5mm (5ft x 12G) Galv CLF TB	25Mtr	16	ROLL
P09841	1800x50x2.5mm (6ft x 12G) Galv CLF TB	25Mtr	16	ROLL

PVC CHAINLINK FENCE

Product Description:

- Knuckled ended chainlink fence
- Compacted rolls with unrolling wire and paper protected ends
- Heavy PVC Coating
- Meets or exceeds BS EN 1722-1



PVC CLF 1.70/2.50mm (15/12G) 25m TB

		Lenght	Pallet Qty	Unit of Measure
P09861	900x50x1.7/2.5mm (3ft) PVC CLF TB	25Mtr	20	ROLL
P09871	1200x50x1.7/2.5mm (4ft) PVC CLF TB	25Mtr	20	ROLL
P09881	1500x50x1.7/2.5mm (5ft) PVC CLF TB	25Mtr	20	ROLL
P09891	1800x50x1.7/2.5mm (6ft) PVC CLF TB	25Mtr	20	ROLL


PVC CLF 2.24/3.15mm (13/10G) 25m TB

P09901	900x50x2.24/3.15mm (3ft) PVC CLF TB	25Mtr	20	ROLL
P09911	1200x50x2.24/3.15mm (4ft) PVC CLF TB	25Mtr	20	ROLL
P09921	1500x50x2.24/3.15mm (5ft) PVC CLF TB	25Mtr	20	ROLL
P09931	1800x50x2.24/3.15mm (6ft) PVC CLF TB	25Mtr	20	ROLL

GALVANISED WIRE NETTING

Product Description:

- Wire Netting is recommended for use in small animal enclosures
- Predator-Proof protection for domestic fowl, gardens & agricultural purposes
- Galvanised after weaving for extra life expectancy
- A good range of sizes available to meet all job requirements



Galvanised Wire Netting 13mm

		Lenght	Pallet Qty	Unit of Measure
P0961	600 x 13mm (2ft x 0.5") Galv Netting	50m	68	ROLL
P0980	900 x 13mm (3ft x 0.5") Galv Netting	25m	-	ROLL

Galvanised Wire Netting 25mm

P0962	600 x 25mm (2ft x 1") Galv Netting	50m	68	ROLL
P0965	900 x 25mm (3ft x 1") Galv Netting	50m	40	ROLL
P0981	900 x 25mm (3ft x 1") Galv Netting	10m	-	ROLL
P0969	1200 x 25mm (4ft x 1") Galv Netting	50m	34	ROLL
P0982	1200 x 25mm (4ft x 1") Galv Netting	10m	-	ROLL

Galvanised Wire Netting 50mm

P0963	600 x 50mm (2ft x 2") Galv Netting	50m	78	ROLL
P0967	900 x 50mm (3ft x 2") Galv Netting	50m	46	ROLL
P0971	1200 x 50mm (4ft x 2") Galv Netting	50m	39	ROLL
P0973	1500 x 50mm (5ft x 2") Galv Netting	50m	39	ROLL
P0975	1800 x 50mm (6ft x 2") Galv Netting	50m	39	ROLL

Galvanised Wire Rabbit Netting

P1557	3.5ft x 1.25" 19G Galv Rabbit Net	50m	28	ROLL
--------------	-----------------------------------	-----	----	------

GALVANISED WELD MESH



Product Description:

- Weld mesh is a great multipurpose solution for all manner of industrial and agricultural applications
- Heavy galvanised finish
- 30 Metre rolls
- 25mm & 50mm box sizes



3ft Galv Weld Mesh

		Length	Pallet Qty	Box Size
P1032	Galvanized Weld Mesh 3ft x 1" 30m Roll	30m	9	1" (25mm)
P1033	Galvanized Weld Mesh 3ft x 2" 30m Roll	30m	12	2" (50mm)

4ft Galv Weld Mesh

P1034	Galvanized Weld Mesh 4ft x 1" 30m Roll	30m	9	1" (25mm)
P1035	Galvanized Weld Mesh 4ft x 2" 30m Roll	30m	12	2" (50mm)

TANALISED TIMBER POSTS

Product Description:

- Manufactured from slow grown Latvian timber giving a higher density post
- Uniform Machine Round Tanalised Posts
- Celcure 4 recommended retentions.
- Regarding age of pine and spruce poles raw material it is 20-25 years.
- Density of spruce is approx. 430 kg/m³ and density of pine is approx. 530 kg/m³.



Timber Post Square - Tanalised

		Size	Pallet Qty	Unit of Measure
--	--	------	------------	-----------------

P2349	Post 1200 x 35 x 35mm (4' x 1.5 x 1.5")	Bundle of 25	900	Each
--------------	---	--------------	-----	------

Timber Post Round-1.20m Tanalised

P2351	Post 1.2m x 50mm (4' x 2")	Pallet	431	Each
P1805	Post 1.2m x 60mm (4' x 2.5")	Pallet	298	Each
P2300	Post 1.2m x 70mm (4' x 3")	Pallet	232	Each

Timber Post Round-1.50m Tanalised

P2052	Post 1.5m x 50mm (5' x 2")	Pallet	431	Each
P1806	Post 1.5m x 60mm (5' x 2.5")	Pallet	298	Each
P1807	Post 1.5m x 70mm (5' x 3")	Pallet	232	Each
P2304	Post 1.5m x 90mm (5' x 4")	Pallet	150	Each

Timber Post Round-1.80m Tanalised

P2305	Post 1.8m x 70mm (6' x 3")	Pallet	232	Each
P1827	Post 1.8m x 90mm (6' x 4")	Pallet	150	Each

Timber Post Round-2.10m Tanalised

P1898	Post 2.1m x 120mm (7' x 5")	Pallet	60	Each
--------------	-----------------------------	--------	----	------

IS 436 GRANT APPROVED POSTS

Product Description:

- Manufactured from Latvian timber giving a higher density post
- Uniform Machine Round Tanalised Posts
- Kiln Dried
- All sizes are manufactured to IS 436 Grant Specification
- Kiln Dried to a moisture content of 28% or lower as per IS 436 Spec

Imported UC4 Brown Post Round

		Size	Pallet Qty	Unit of Measure
P1825	Brown UC4 Grant Post 1.5m x 100mm	Pallet	105	Each
P1816	Brown UC4 Grant Post 1.8m x 100mm	Pallet	105	Each

Grant Spec Strainer Posts

POST7GA	NSAI Grant Approved Strainer (7ft x 7/10")	Pallet	10	Each
POST8GA	NSAI Grant Approved Strainer (8ft x 7/10")	Pallet	10	Each

GRIPPLE ®

Product Description:

- Benefit to using Gripple ® in any fence installation as it reduces the time taken to install and maintain fences



Gripple

P1771

Medium Gripple (Pkt 20)

Unit of Measure

PACK


Box Quantity

10

PIGTAIL & MULTI STRAND POSTS

Product Description:

- Spring steel post with a white insulated UV protected pigtail top
- For use with Polywire, Polytape, 14g, 16g Mild Steel Wire
- Ideal for strip grazing and a temporary fencing solution



Elephant Fencing Posts

P0802

Diamond Elephant Pigtail Post

Pallet Qty

Boxes of 1300

Unit of Measure

SINGLE

P0942

Diamond Heavy Pigtail Post (8mm)

Boxes of 1050

SINGLE

P0935

Diamond Multistrand Post 105cm

Boxes of 1120

SINGLE

This convenient mini roll display consists of 99 rolls made up of the following:



Galv Hex Net

		QTY
P1020	H500mm x 51mm - 10M	6
P1021	H500mm x 19mm - 10M	11
P1022	H1000mm x 13mm - 10M	5
P1023	H1000mm x 19mm - 10M	12

PVC Hex Net

P1024	H500 x 19mm - 10M	9
P1025	H1000mm x 19mm - 10M	9

Hot Dip Galv Weld Mesh

P1026	H508mm x 13x13mm x 0.9Ø - 5M	10
P1027	H514mm x 19x19mm x 1.4Ø - 5M	4
P1028	H1003mm x 13x13mm x 0.9Ø - 5M	10
P1029	H1010mm x 19x19mm x 1.4Ø - 5M	4

PVC Weld Mesh

P1030	H508mm x 13x13mm 1.2Ø - 5M	10
P1031	H1003mm x 13x13mm 1.2Ø - 5M	9



- Electronic
- Blast volume up to 130 db
- Blast Volume adjustable for model with telescopic inner barrel
- 1, 2, 3, 4 shots in a series
- Approximately 5 seconds between each consecutive shot
- Interval between series adjustable from 1 to 60 minutes
- Random intervals available between 1-10 and 1-20 minutes
- Timer, up to 4 programmable daily operated periods
- Easy to set up
- Approximately 15,000 detonations from a 10 kg Propane tank
- Ignition produces more than 1 million detonations
- Auxiliary input for optional control by cabled push-button, wireless remote control, etc.
- Virtually maintenance free
- Optional tripod for larger range





goldcrop.ie

goldcrop.ie 
info@goldcrop.ie 